Picture				BSR-064(SL)		
Pict					13 C	1
Yield/ 100dfls (kg)	35	39	20	09	52.50	
Rendit a	7-8	9.10	7-8	7-8	7-8	
Filament length	099	752	760	089	790	
Cocoon shape and size	Elongated oval, medium to coarser grain, long size, slight constriction, compact	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	V
Larval Shape	Long & Slim	Long & Slim	Long & Slim	Long & Slim	Long & Slim	
Name of the races /breeds	BSR- 15/2(W)	BSR- 15/3(W)	BSR-15/4	BSR- 06/4(SL)	BSR-15/5	
N _o	110.	111.	112.	113.	114.	




Faruque Ahmed Senior Research Officer Bugladesh Sericulture Research & Training Institute, Rajahahi.

Dr. Rumana Ferdous Bint-A-Rahman Senier Research Officer (C.C







Md. Abdul Alim Senior Research Officer (CQ Bangladesh Sericulture Research & Training Institute, Rajshahi 4207

Wd. Abdul Allen Senior Research Officer (CC) Bangladesh Sercutture Research Senior Research Officer (CC) Bangladesh Sercutture, Rajshahi.

Training Listitute, Rajshahi-6207

- Rumana Ferdous Bint-A-Rahman - nior Research Officer (C.C)

াঃ আফভাব উদ্দীন আঃ আফভাব উদ্দীন জ্বান গ্ৰেহণা কৰ্মকা (চল্লাঃ) বালোদেশ রেশয় গবেষণা ও প্রকাশন ইন্টিটটিউট, বালেশাহী-৬২০%

				\neg			-					
	18.	17.		16.			15.		14.		13	No S
1	BSR-R ₁ S ₁	BSR-O ₅		BSR-M ₂ P ₂		NN.7B(M)	BSR-		BSR- NN.7B(P)	011S(P)	BSR-	Name of the races /breeds
	Long & Fat	Long & Fat		Long & Fat			Short & Slim		Short & Slim		Medium	Larvai Snape
comparatively compact.	El. oval with slight constriction, long	Oval with slight constriction, round tips, coarser grain medium size, compact shell.	constriction, short laterally wider, medium to coarser grains, hard shell.	Oval with slight	coarser grain, now scanty floss compact.	slight constriction, medium size, medium to	Elongated oval with	round tips, medium to coarser grain compact, scanty floss.	Elongated oval with slight constriction,	in size but it is mucher bigger than other Nistari flossy, rough grains.	Sindle shaped, smaller	сосооп знаре ана этсе
	570	585		519			530		520		465	length
	10-11	10-11		10-11			10-11		10-11		11-12	a a
	55.66	49.55		44.76			47.50		46.42		43.91	100dfls (kg)
Bell R.S				グルスデミン	CORNERS OF	がいか		THE AVERTON			ことなりの別様と	A Company of the Comp
	誰	UE				Ш	1	18		BSR 0118.D		



Banning-sh Sericulture Research & It a long institute, Rajshahi-6207 Senior Research Officer (CC) Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Training Institute, Rajshahi. Sur

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C)

মোঃ আকতাৰ উদ্দীন চুৰ্বাচন গৰেলা কৰ্মকৰ্তা (চংগাঃ) ৰাংলাদেশ মেশম গৰেলা ও ব্যালাদেশ মেশম গৰেলাই-৬২০৭ 2mon

AMOUNT CALL MARKET

	- 23	2	2	20.	19.	No SI
0	BSR-83/3	BSR-83/2	BSR-83/1	BSR-802	BSR-801	Name of the races /breeds
And	Long & Slim	Long & Slim	Long & Slim	Long & Slim	Long & Slim	Larval Shape
	El. oval with slight constriction, comparatively elongated than the others of series, medium to coarser grain.	Oval with slight constricted small size, medium to coarser grain, less compact with scanty floss.	Oval, slight constricted, comparatively lighter than BRR-83/3 less compact and smaller than 83/3.	El. oval with slight constriction, comparatively longer than 801, medium to coarser grain.	floss. Oval with slight constriction compact, smaller than 802, medium to coarser grain.	Cocoon shape and size
	670	667	665	650	620	Filament length
	9.10	9-10	9-10	9-11	9-11	Rendit
	54.96	50.16	51.96	51.95	48.90	Yield/ 100dfls (kg)
					SUSSE	Picture
					嘎載	ште

Md. Abdui Allen
Senior Research Officer (C.C)
fibn Maye th Serteulture Research (I
feature) wastitute; Hajshahi 4 207

Faruque Ahmed
Senior Research Officer E
Bangladesh Sericulture Research
& Training Institute, Rajshahi.

Dr. Rumana Ferdeus Bint-A-Rahman Senior Research Officer (C.C)

নাঃ আঞ্চাব উজীন মোঃ আঞ্চাব উজীন মূল্যান রেশ্য গ্রেখা ৬ মূল্যান রেশ্য গ্রেখা ৬

Mai

29.	28.	27.	26.	25.	24.	No
BSR- Urboshi/3	BSR- Urboshi/2	BSR- Urboshi/1	BSR-85/3	BSR-85/2	BSR-85/1	the races
Long & Fat	Long & Fat	Long & Slim	Long & Slim	Long & Slim	Long & Slim	
El. oval with slight constriction, comparatively compact, slight larger than other	El. oval slight constriction, coarser to medium grain, smaller than other urboshi, compact.	El. oval with slight constriction, medium grain, long, medium size, compact.	Oval with slight constriction, round tips, medium to coarser grain, long, compact.	Oval with slight constriction, medium to coarser grain, medium size.	Oval with slight constriction both ends round, compact, medium to coarser grains slight larger than 85/2.	
598	695	690	680	675	680	length
χ.	6-6	8-9	9.10	9-10	9-10	É
64.00	66.00	71.44	66.00	54.37	60.66	Toodits (kg)
		The street of th				*
	liti		踵睫	LEE	T	

Md. Abdul Alim Senior Research Officer (C.C.) Bengiayasa Sericulture Research & Tranning institute, Rajshahi-8207

Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Training Institute, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C)

ক্রান্ত আক্ষতাৰ উদ্ধান ক্রান্ত আক্ষতাৰ উদ্ধান ক্রান্তানেশ শ্রেশ্য গ্রেখণা ও বাজাদেশ শ্রেশ্য গ্রেখণা ও

Many Control of the C

_	SI	Name of	Larval Shape	Cocoon shops and size	1			
	No	the races	-	SZIS DITE adams azze	length	Rendit	Yield/	Picture
_	30	RSB	1 7				(Ray)	
	Ċ.	Urboshi/4	Long & Fat	El. oval with slight	700	8-9	73.01	
				constriction, slight				うとなった。
				wider side wise medium				が人人が
1	2			to coarser				
	31.	BSR-JB(P)	Long & Fat	Elongated oval with	665	10-11	44.00	ないとな
				constriction, long,		27 Tobaco e 27		
				medium size medium to				うくく
T	8			coarser grain				BSR-JB(P)
	32.	92/2/M)	Long & Fat	Elongated oval with	610	9-10	70.00	
		202(11)		slight constriction,				
				compact, medium to				
T	3	200		coarse grain				(18) 7776-210-
	oo.	B5K-92/5(P)	Long & Fat	Elongated oval with	609	9-10	66.51	
			Γ,	slight constriction both		-		
				and hard, compact shell,				
			je-	medium to coarser				BSR- 92.5(P)
	34	RSR	Tonac	grain				
		92/7(M)	Long & rat	oval with slight	615	9.10	63.17	
				constriction, medium				
				size, medium to coarser				
				grain				BSR-92/7 (M)
	35.	BSR-92/8(P)	Long & Fat	slightly elongated	618	9.10	SE OF	
		95 a 1,100 a		compact shell, both end	010	0.T-6	65.25	とは
				nardy, compact trunk				TO I
4	-	0-	prid	A				BSR-92/8 (F)
1		(1	>				Colonial Party Coloni

South.

Senior Research Officer (CC)
Bangledesh Sericulture Research & Training institute, Rajshahi + 207 Md. Abdul Alim

Faruque Ahrned
Senior Research Officer
Senior Research Research
Bangladesh Sericulture Research
& Training Institute, Rajshahi.

Dr. Rumana Ferdous Bint-A. Dahren Senior Research Office

বাংলাদেশ রেশম পরেষণা ও ব্রাক্তির বিভাগিটা, বাজশাহী-৬২০৭ ্বোঃ আইন্ডাব উদ্ধান চ্বাতন গৰেমণা কৰ্মকৰ্তা (চংগাঃ) Marion

The state of the s

	41.	40.	39.	38.	37.	36.	N SI
-	BSR-98/2(P)	BSR- 95/22(P)	BSR- 95/14(P)	BSR- 95/10(M)	BSR- 92/16(M)	BSR- 92/14(P)	Name of the races
	Long & Slim	Long & Slim	Long & Slim	Long & Slim	Long & Fat	Long & Fat	Larval Shape
mo	Elongated oval with slight constriction, both ends very hard, compact with hardy trunk region	Oval, medium size, slight constriction, compact both ends coarser grains	Oval with slight constriction, medium size, medium grains	Oval with slight constriction, comparatively small with laterally wide	El. oval with slight constriction, compact, both end hard with hardy trunk	Oval with slight constriction, hard trunk and end, slightly smaller	Cocoon shape and size
	640 h	650	645	003	650	, and the second	length
	9.10	9.11	9-11	t,	9.11		9-10
	91.83		56.00		62.80	50 25	100dfls (kg) 61.45
1200	HSR-98/2(P)	BSR-95/22 (P)	BSR-95/14 (P) N	BSR-98/10 (M)		BSR-92/14 (P)	N. S.
					=		=

Md. Abdul Alim

Senior Research Officer (C.C.) Bangadesh Sericulture Research & Training institute, Rajshahi-6207

Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Training institute, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C)

्रिट्रेडिंग विकास करें। स्त्राची चीवर्ष (१९निध) स्त्राची विकास स्त्राची ७३००

AND COMPANY OF THE PARTY OF THE

_	47.		46.	46.	45.	45. 44. 45.	46. 45. 44. 43.
ma	BSR-03/1(P)	BSR-02/3(P)	BSR-02/2(P)	BSR-02/1(P)	BSR. 00/2(GP)	1	00/1(GM)
2	Short & Slim	Long & Slim	Long & Fat	Long & Fat	Medium		Median
•	Elongated oval with slight constriction, both ends and trunk hard, medium size	Oval with slight constriction, medium size, round tips	Elongated oval, medium size, slight constriction, both ends round and hardy	Slightly elongated oval with slight constriction, medium shape and size, compact, round tips	Oval with slight constriction, smaller size, medium to coarser grain	grain	constriction, comparatively smaller size, scanty floss, medium to coarser
	595	600	597	612	595		599
	11-12	9-10	9-10	9-10	10-11		10-11
	55.00	56.33	53.27	51.25	41.56		40.00
	BSR- 03/1 (P)	BSSR-02/3 (P)	BSR-02/2 (P)	BSR-02/1 (P)	RSR-002 (Cay)		
	F = -			[= = 3	阻益		

Sentor Research Officer (C.C.) Band for the redulture Research & Training institute, Bajshahl-6207 Md. Abdul Allen

Senior Research Officer Dr. Rumana Ferdous Bint-A-Rahman & Training Institute, Rajshahi.

Senior Research Officer (C.C) may



					- 100			
ĺ		53.	52.	51.	50.	49.	4 8	No SI
)_		BSR-05/1(Y)	BSR-04/3	BSR-03/6	BSR- 03/5(M)	BSR- 03/4(M)	BSR-03/3	Name of the races /breeds
Faruot		Short & Fat	Long & Slim	Short & Fat	Long & Fat	Long & Slim	Long & Slim	Larval Shape
Faruque Ahmed	The state of the s	Elongated oval with slight constriction. medium size, medium to coarser grains	Elongated oval with slight constriction, medium size, medium to coarser grains, both ends hard	Oval with slight constriction, larger with wider, both end not so hard, medium to coarser grain	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval, medium to coarser grain, long size, slight constriction, compact	Elongated oval, slight constriction, medium size, round tips, both trunk and ends hard	Cocoon shape and size
_		0 715			000	6/0	0.00	length
		8.9	9-10	4-10	9-10	9-10		A 10
		36,69	55.70	53.00	54.75	54 12	5013	100dfls (kg)
almora Guila	11 Mor	BSR-05/1(Y)	BSR- 04/3	BSR-03/6	BSR- das (A)	BSR- 03/4 (M)	BSR-03/3]
2				重性	FEE			E



Bahgaby in Sericulture Research & Transas jastitute, Rajshahi-6207 Sprip Research Officer (CC)

Senior Research Officer Senior Research Officer Bangladesh Sericulture Research & Training Institute, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C.)

वारण जोको (हलार) गाउँचा जोको (हलार) गाउँचा जानाही छ

3							
1	9	20 99	57.	50 .	55.	54	N S
	07/2(M)	BSR-0/12(P)	BSR. 05/4(M)	05/3(M)	BSR-05/2	BSR- 05/1(YL)	Name of the races /breeds
A h mod	Short & Pat	Short & Fat	Long & Slim	Short & Fat	Short & Fat	Long & Slim	Larval Shape
Dr. Rumana Ferdous Bint-A-Rahman	Oval with compact shell, medium size coarser	Elongated oval with slight constriction, medium size, both ends round hard, scanty floss	Oval with slight constriction, medium size, hard shell, both ends round and hard, coarser	Oval with slight constriction, compact shell, medium size, medium to coarser grain	Oval with slight constriction, medium size, compact shell, medium to coarser grains	Elongated oval with, slight constriction, compact shell, both ends and trunk hard, medium to coarser grains	Cocoon shape and size
	670	650	659	679	625	790	Filament length
	8-9	8-9	8-9	8-9	8-9	8-9	Rendit a
	64.06	63.81	59.90	55.54	64.50	60.00	Yield/ 100dfls (kg)
Mo	BSR- 07/2 (A)	100 mg (P)	BSR- 05/4 (M)	BSR- 05/3 (P)	BSR-05/2	BSR- OSINT	Pic
	H	Jaga Barana	E				Picture

Md. Abdut Alim
Senior Research Officer (CQ
Bangladesh Serkculture Research &
Training Institute, Rejshahi-6207

Faruque Andrew Senior Research Officer Senior Research Officer Research Bangladesh Sericulture, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C.)

A

	7		The second secon		n-sady 1	1		
	Rtt. On (17)				constriction, coarser grain, slightly larger than 001(M)			
		53.10	9-10	595	Oval with slight	Long & Slim	RB-001(P)	66.
	RB-(P)				coarse grain, scanty floss			
		58.42	9-10	560	Elongated oval with constriction, medium to	Long & Slim	RB-(P)	65.
	BSR-08/3				size, compact, coarser grains			
		62.18	8-9	760	constricted, medium	Long & Slim	BSR-08/3	64.
	BSR-08/2(W)				size, medium grains		Acceptance	
		58.05	8-9	675	Oval, slightly constricted, medium	Long & Slim	BSR- 08/2(W)	63.
	BSR-08/2				grain			
		market and the second			medium size, coarser			
		51.00	94	15	slight constriction,	SHOLLSTar	D3N-00/2	04.
		3		!	coarser scanty floss		200	3
	RSD				with both ends round,		-	
		00.20	9	0,0	constriction, compact	nong a omin	DOLLOOIT	01.
	Brite Britania)	936	00	600	and trunk hard	I ong E Slim	DCD (1971	61
					size, compact, both ends			
		58.92	9-10	640	Elongated oval, slight	Short & Fat	(P) GY	60.
							/breeds	
FICULTE		100dfls (kg)	a	length	Cocoon snape and size	rarvar snape	the races	N o
The same of the sa	7	W-13.	1	111		101		2

Md. Abdur Alim Senior Research Officer (C.C) Bangladesh Sericulture Research & Training Institute, Rajshahi-6207

Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Training Institute, Rajshahi. free

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C)

र्था स्थानकात स्थान जा सामकात स्थान কুলাদেশ রেশর গবেষণা ও দিক্তর কৈচিটিউট, রাজনাহী-৬২০৭

300	72	71	70.	69.	68.	67.	No SI
	2. Dong- 34(M)	1. BV-(P)	0. BV- (M)	9. RB-112	8. RB-111	7. RB-001(M)	Name of the races /breeds
Const.	Short & Fat	Short & Fat	Short & Fat	Short & Fat	Long & Slim	Long & Slim	Larval Shape
0	Elongated oval shape, slight constriction, round tips, slightly larger then Dong-34(P), compact, medium to coarser grains	Oval with slight constriction, medium to coarser, medium shape, both ends 100se, scanty floss	Oval with slight constriction, round tips, shell not so compact, medium to coarser grains, both ends less compact.	Elongated oval, peanut shape, compact, medium to coarser grains	Elongated oval slight larger then RB-112 compact, medium to coarse grain	Oval with slight constriction, slight smaller then 001 (M), scanty floss, medium to coarse	Cocoon shape and size
	600	597	599	597	600	597	Filament length
	9-10	9-10	9-10	9-10	9-10	9-10	Rendit a
2	54.17	54.53	52.07	57.94	55.50	50.49	Yield/ 100dfls (kg)
		BV-(P)		RB-112		RB- OUI(N)	Pic
	阻其	国	随其	群		雕	Picture

Md. Abdul Alim Senior Research Officer (Co Banghoesh Senculture Research & Training lastitute, Rajshahi (2007

Faruque Ahmed Faruque Ahmed Senior Research Officer Senior Research Bangladesh Sericulture Research & Training Institute, Rajshalil.

> Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C.)

ক্ষাঃ আক্তাব উদ্ধান ভাৰতন গৰেষণা কৰ্মকৰ্তা (চঙগাঃ) জ্বালোনেয় জেন্ম গৰেষণা ও প্ৰনিক্ৰা ক্ৰালিটিউট, বাজগাৱী-৬২০৭

A

		-									_					_	_		
No SI	73.		74.		1		75.				76.					77.			
Name of the races /breeds	Dong- 34(P)		Ziangsu-	12- (P)			Ziangsu-	12- (J)			BSRB- C					BSRB-J			
Larval Shape	Long & Slim		Short & Fat				Long & Slim				Short & Fat					Long & Slim			
Cocoon shape and size	Elongated oval, slightly constricted, cocoon shell not so compact,	slightly smaller then Dong-34(M), medium to	Elongated oval,	Japanese type shape	compact shell, both	ends hard, medium to	Elongated oval with	slight constriction,	smaller then Ziaing su-	12(J), medium to coarser	Oval with slight	constriction, medium	size, both ends round,	medium to coarse	cocoon grains	Oval with slight	constriction, medium	size, medium to coarse	
Filament length	605		603				605				790					795			
Rendit a	9-10	38	9-10				9.10				8-9					8-9			
Yield/ 100dfls (kg)	59.59		56.75	A CONTRACTOR			57.17				52.47					57.70			
Picture	100 Mg	thong - 14 (P)			Ziangsu - 12- (F)		N. F.		Ziangsu-12-(J)					ISKN-1				IISRH-J	The state of the s
ure		E		į			!	į								:	* * * * * * * * * * * * * * * * * * * *	•	THE RESERVE TO SERVE THE PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED

Senior Research Officer (CC)
Banglous Sericulture Research & Md. Abdul Alim

Training institute, Hajshahi-6207

Senior Research Officer Bangladesh Sericulture Research & Training Institute, Rajshahi. Faruque Ahmed

Dr. Rumana Ferdous Bint-A-Rahman Senier Research Officer (C.C)

প্রাপ্ত আক্রতার উদ্দিরি আরু গ্রেমণা কর্মকর্তা (চলায়) বাজাদেশ রোশয় গরেবলা ও বিশ্বর ইন্ট্রিটেড , বাজাধী-৩২০০

Man Con Manda Mand

	BSRB - NG2			15	larger than 98/2 & 98/3 coarse grains, scanty floss		iz.	
		56.85	8-9	778	floss Elongated, slight constriction, lightly	Long & Slim	BSRB- 98(2)	81.
	A STATE OF THE STA	34.4/	0,9	ò	constriction, medium size, medium to coarse cocoon grains, scanty	rong a citim	98(1)	
E31	BSRB-89			775	both ends and trunk to much compact medium grains	I onc & Clim	RSR R	80
	BSRR. X	58.10	7-8	890	medium cocoon grains Slight elongated,	Long & Slim	BSRB- 89	79.
	1	56.80	7-8	890	slight constriction, compact both end,	Long & Slim	BSRB- S	78.
Picture	Pi	Yield/ 100dfls (kg)	Rendit a	Filament length	Cocoon shape and size	Larval Shape	Name of the races /breeds	N S

Md. Abdul Alim
Senior Research Officer (Co)
Banchalesh Serkulture Research &
Training austitute, Rajshahi 6207

Faruque Ahrned
Senior Research Officer
Bangladesh Sericulture Research
& Training institute, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C)

ি ৫২০০ ডালীৰ মোঃ আবদতাৰ উল্লীন মানতন গৰেমণা কৰ্মকৰ্তা (চংগাঃ) বাংলাদেশ রেমন গ্ৰেমণা ও ক্ৰিলে ইন্টাটিটা, রাজগারী-৮২০১



1	BSIRB - 03 (SL)				medium cocoon coarse			
	Service Servic	55,00	/-8	900	Elongated with peanut shape, very compact shell ends and trunk.	Long & Slim	BSRB- 03 (SL)	88.
			1		coarser grains			
1					size but slight larger			
	リナイ	53.68	7-8	850	Slight elongated with constriction, medium	Long & Slim	BSRB- 03	87.
					medium grains, scanty floss			
	INC. INC.				hard shell and trunk,		02(2)	
		52.95	8-9	795	Elongated and widely	Short & Fat	BSRB-	86.
	B-SRB-02(I)				medium grains			
					constriction, hard shell,		02(1)	
•		53.10	8-9	780	Slightly elongated, light	Short & Fat	BSRB-	85.
					medium grains			
ţ					shell, medium size		(1.1)	
•					construction, compact		3	
		54.25	8-9	795	Oval with slight	Short & Fat	BSRB-01	84.
			122.10		medium grains			
	(a) 14 - dyken				trunk, hardy shell,			
-					compact both ends and			
*		7100			constriction, medium		P	
		57.25	8-9	789	oval with slight	Short & Fat	BSRB- 01	83.
				топуш			/breeds	No
TICKETO		100dfls (kg)	Kendit	length	Cocoon shape and size	Larval Shape	Name of	SI



Md. Abdul Alim Senior Research Officer (C.C) Bangledesh Sericulture Research & Training Institute, Rejshahi 6207

Faruque Ahmed Senior Research Officer Bangladesh Seifculture Research & Training Institute, Rajshahi.

and

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C)

্রাঃ আকতাব উদ্দীন নোঃ আকতাব উদ্দীন কলে গ্রেমণা কর্মকর্তা (চলগঃ) বালোদেশ ল্রেম্ম গ্রেমণা ও বালোদেশ ল্রেম্ম ব্যালাহী-৬২০%



M)			1.				
-	94.	93.	92.	91.	90.	89.	No SI
	BSRB- 06 (0)	BSRB- 06	BSRB- 05 (R)	BSRB- 05	BSRB- 04 (2)	BSRB-04 (1)	Name of the races /breeds
Drug.	Long & Slim	Short & Fat	Short & Fat	Long & Slim	Long & Slim	Long & Slim	Larval Shape
	Oval (Chinese type) type, medium size shell thin, both ends very loose, coarse cocoon	Oval slight constriction appearance, less compact, medium size	Elongated oval with slight constriction very hard shell, ends and trunk, medium size, medium to coarser grains	Elongated oval with slight constriction, medium size, compact shell with hard ends and trunk	Slight elongated with roundish appearance, medium size less compact with slight constriction, scanty floss	Oval with slight constriction, medium size, less compact, coarse grain, scanty floss	Cocoon shape and size
	790	850	910	890	850	860	Filament length
	8-9	7-8	7-8	7-8	7-8	7-8	Rendit a
7	55.55	56.00	56.00	55.12	53.51	54.25	Yield/ 100dfls (kg)
	BSRB - 06 (0)	BSRB-06	BSRB - 05 (R)	BSIAR - OS	nNRB-04(2)	BSRB - 04 (1)	Pict
		(鲜		壁隻			Picture

Md. Abdul Alim
Senior Research Officer (C.C)
Banolodesh Sericulture Research &
Training institute, Rajshahi 6207

Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Trauning Institute, Rajshahl.

Dr. Rumana Ferdeus Bint-A-Rahman Senior Research Office: (C.C.

্ৰাক্তিটিটিট, বাজপাতী-৬২০ খ

A Control of the Cont

)				coarser grains			
					crunk, mearum to			<u> </u>
					hard with compact			
		111			ends comparatively			
	BSRB - 07 (3)				medium size, both the		(3)	
					slight constriction	Long & Fat	BSRB-07	99.
•		61.96	8-9	850	Floridated cocoons, Very	T and C Eat		
	BSRB-07(2)		and the same of th		courser cocoon grains			
	として				comparatively smaller.		(4)	
					with thin form,		2	30.
		33.01	8-9	899	Oval, both ends round	Long & Slim	RSRR 07	80
		55.61			floss			
					coarser grains, scanty			
	HSRB-07(1)				so hard, medium to		1	
:					medium size, shell not		e e	
1			0	010	Oval with round tips,	Short & Fat	BSRB- 07	97.
•		59.80	8.0	015	fine cocoon grains			
					medium size, medium to			
	BSRB - 06 (2)				compact cocoon shell,		į	
1					dumbbell shaped, very		(2)	9
		37.00	0.9	68/	Elongated oval,	Short & Fat	BSRB- 06	96
		57 08	0		medium grains			
					trunks, medium size,			
		wy 4/2/29/17			compact both ends and			
-	BSRB - 06 (2)				shell very hard.		()	
***					peanut shape, cocoon		4	1
:		20.00	0-7	193	Elongated oval with	Long & Slim	BSRB-06	95.
		09.85	0.0	100	grains			
							/breeds	No
		100dfls (kg)	Ð	length		Larval Shape	Name of	S
10000		Yield/	Rendit	Filament	Cocoon shape and size			

Md. Abdul Alirn
Senior Research Officer (C.C)
Banglauesh Sericulture Research &
Training Institute, Rajshahi-6207

Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Training Institute, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahmen Senior Research Officer (C.C)

শৈল কালেল কৰিব কৰিব বাংলালেল কৈবল কালেলেল কেবলা ত



104.	103	102	101.	100.	No IS
BSR. 05/4(M)	85R- 04/5(SL)	BSR-98/1	BSR-G(M)	BSR-(J)	Name of the races /breeds
Long & Slim	Long & Slim	Long & Slim	Long & Slim	Long & Slim	Larval Shape
Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval, medium to coarser grain, long size, slight constriction, compact	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Cocoon shape and size
708	619	609	555	559	Filament length
8-9	7-8	8-9	9-10	12-13	Rendit a
52	44	46	42	45	Yield/ 100dfls (kg)
					Picture



Md. Abdul Alim
Senior Research Officer (CQ
Bangle-sesh Sericulture Research &
Training institute, Rajshahi-6207

Faruque Ahmed Senior Research Officer Bangladesh Sericulture Research & Training Institute, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Office





	<u>د</u> ــو	<u> </u>	-	1	1	7.00
	109.	108.	107.	106.	105.	No SI
	BSR-15/1	BSRB- 10(2)	BSRB- 10(1)	BSR- 05/3(FM)	BSR- 04/6(SL)	Name of the races /breeds
	Long & Slim	Fat	Long & Slim	Long & Slim	Long & Slim	Larval Shape
	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval, medium to coarser grain, long size, slight constriction, compact	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval, medium to coarser grain, long size, slight constriction, compact	Cocoon shape and size
	667	656	686	545	553	length
Section of the Section Control of the Section	10-11	8-9	7-8	9-10	9-10	Rencut
	47	45	49	53	55	100dfls (kg)
2						TAVILLE
		Option 10 to	The same			E o

Md. Abdul Alim
Senjor Rusearch Officer (CQ)
Bahdowsh Scriculture Research &
Training institute, Rajshahl-6207

Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Training Institute, Rajshahi.

*

Dr. Rumana Ferdous Bint-A-Rahmen Senior Research Officer (C.C)

েনাঃ আফতার ডুদ্দীন মোঃ আফতার ডুদ্দীন ডুর্মান পলেগা কুর্মাকর্ড (চংলাধ) বাংলাদেশ রেশ্য গরেখণা ও বাংলাদেশ রেশ্য গরেখণা ও

114.	113.	112.	111.	110.	No IS
BSR-15/5	BSR- 06/4(SL)	BSR-15/4	BSR- 15/3(W)	BSR- 15/2(W)	Name of the races /breeds
Long & Slim	Long & Slim	Long & Slim	Long & Slim	Long & Slim	Larval Shape
Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval with slight constriction, medium size, both end hard, compact shell	Elongated oval, medium to coarser grain, long size, slight constriction, compact	Cocoon snape and size
790	680	760	752	660	length
7-8	7-8	7-8	9.10	7-8	B
52.50	60	50	39	ین	100dfls (kg)
TANKE TO SEE					1 the flocing of the control of the
	BSR-06/4(SL)				

Md. Abdul Allm
Senior Research Officer (CQ
Bangladesh Sericulture Research &
Training Institute, Rajshahi-6207

Faruque Ahmed
Senior Research Officer
Bangladesh Sericulture Research
& Training Institute, Rajshahi.

Dr. Rumana Ferdous Bint-A-Rahman Senior Research Officer (C.C

থি পুৰুত্ব কৰিব।

কাৰ আৰু ভাৰত উল্লেখ্য কৰিব।

কাৰত গৰেবণা কৰিবত।

কালোদেশ লেশ্য গৰেবণা ও

কালোদেশ কৰিবতীত নাজ-দ্বী-৬৭০৭